





263010200WOC

Ref #	Part #	Description	Qty	Context Note	Foot Note
10	263-10301-11	CRANKCASE CP	1		
17	263-17101-B3	LEAF VALVE	2		
18	263-17201-A3	RETAINER PLATE	2		
19	004-35041-00	SCREW AND WASHER AY	4		
20	263-14202-03	VALVE GUIDE	2		
21	056-51000-50	CLIP	1		
22	263-14202-03	VALVE GUIDE	2		
23	056-51000-50	CLIP	1		
26	132-11AA1-10	EXHAUST VALVE SEAL	1		
27	132-11AA1-10	EXHAUST VALVE SEAL	1		
28	263-35341-03	RETAINER PLATE	1		
29	263-35341-03	RETAINER PLATE	1		
31	263-39001-01	OIL SEAL EXH VALVE	1		
32	263-39001-01	OIL SEALEXH VALVE	1		
40	263-15805-03	MAIN BEARING	1		
50	X31-00800-80	DOWEL PIN	2		
60	010-50802-90	STUD	2	M8X1.25X30	
61	010-50802-90	STUD	2	M8X1.25X30	
75	044-00800-10	OIL SEAL	1		
85	263-15911-A1	BLIND PLUG CP	1		
210	263-11301-B1	MAINBEARING COVER CP	1		
215	263-15911-A1	BLIND PLUG CP	1		
216	263-17402-A3	PLUG	1		
220	044-04200-30	OIL SEAL	1		
250	263-45103-C1	GOVERNOR GEAR CP	1		
255	263-46215-A3	THRUST BEARING	1		
257	263-46214-03	WASHER	2		
260	277-41902-01	GOVERNOR SLEEVE	1		
290	263-16012-A3	GASKET (M.B. COVER)	1		
300	X11-00802-90	FLANGE BOLT	10		
610	263-13202-B1	CYLINDER HEAD 1 CP	1		
615	263-13302-B1	CYLINDER HEAD 2 CP	1		

620	263-15021-41	CYLINDER HEAD GASKET 1	1	
621	263-15121-31	CYLINDER HEAD GASKET 2	1	
630	X11-01000-30	FLANGE BOLT	8	
680	263-15511-H3	ROCKER COVER	1	USE PART # ENDING IN H3 UNTIL GONE THEN USE 263-15511-J3
690	263-16101-A3	GASKET (ROCKET COVER)	2	INTERCHANGEABLE W/263-16111-03
700	X31-00600-20	DOWEL PIN	4	
710	X11-00601-01	FLANGE BOLT	8	M6X1.0X28
810	263-14301-03	BREATHER COVER	1	
820	263-14421-01	BREATHER PLATE CP	1	
830	263-16007-03	GASKET (BREATHER PLATE)	2	
860	X11-00600-30	FLANGE BOLT	2	M6X1.0X14
867	263-14422-03	RETAINER PLATE	1	

FIG. 202




EH65/64/63

263020200W00

Ref #	Part #	Description	Qty	Context Note	Foot Note
10	263-21701-C1	CRANKSHAFT CP	1	INTERCHANGEABLE W/263-21701-B1	
40	263-25012-A3	SPACER	1		
41	263-25013-A3	SPACER	1		
42	263-25014-A3	SPACER	1		
310	263-22601-30	CONNECTING ROD AY	2		
320	001-05084-00	FLANGE BOLT	2	M8X1.25X40	
350	263-23301-33	PISTON PIN	2		
360	263-23421-J3	PISTON	2		
370	263-23501-27	PISTON RING SET	2		
380	056-52100-20	CLIP	4		

FIG. 302




EH65/64/63

263030200W00

Ref #	Part #	Description	Qty	Context	Note	Foot	Note
10	263-31801-13	CAM SHAFT CP	1				
50	263-33301-A3	TAPPET	4				
60	246-33611-03	VALVE SPRING	4				
70	246-33711-13	SPRING RETAINER	4				
80	263-33401-H3	INTAKE VALVE	2				
90	263-33502-H3	EXHAUST VALVE	2				
95	246-35501-03	VALVE COLLET	8				
210	263-35331-01	PUCH ROD CP	4				
220	267-36102-03	ROCKER ARM	4				
230	263-35801-03	BOLT (PIVOT)	4				
235	267-35701-03	PIVOT	4				
240	X17-00601-10	NUT	4				
260	263-37002-A3	GUIDE PLATE	2				


FIG. 402



EH65/64/63

263040200W00

Ref #	Part #	Description	Qty	Context	Note	Foot Note
20	263-42212-13	GOVERNOR SHAFT	1			
26	003-10080-00	WASHER (M8)	2			
50	005-11060-01	SNAP PIN	1			

FIG. 602

EH65/64/63

263060200W00

Ref #	Part #	Description	Qty	Context Note	Foot Note
270	263-63631-A0	OIL GUAGE AY	1		
272	263-64414-A3	O-RING	1		
610	263-63923-H3	INNER ROTOR	1		
615	263-63933-H3	OUTER ROTOR	1		
617	263-63942-A3	SHAFT(OIL PUMP)	1	USE INSTEAD OF 263-63943-J3	
620	263-64012-J3	OIL PUMP COVER	1		
625	X24-08900-30	O-RING	1		
660	263-65901-A0	OIL FILTER AY	1		
700	263-76102-H1	SWITCH OIL PRESSURE	1		

FIG. 702

This diagram is an exploded perspective view of a mechanical assembly. The main component is a large, complex housing or engine block at the bottom. Various parts are shown in their relative positions, indicated by dashed lines. Key components include:

- Top Section:** A circular component (10) with a central hub, a bracket (11) with a pin (35), and a gear-like ring (20) with a central shaft (30) and a smaller gear (15).
- Central Section:** A cylindrical component (410) with a pin (130) and a base (216). A long, coiled spring (330) is connected to a bracket (760) and a cable (759).
- Left Section:** A bracket (50) with a pin (55) and a cable (100) connected to a component (110).
- Right Section:** A bracket (95) with a pin (100) connected to a component (110).
- Bottom Section:** A bracket (301) with a pin (291) connected to the main housing.

Labels and callouts include: CARBURETOR, OR. PRESSURE SWITCH, A, B, 10, 11, 35, 20, 30, 15, 410, 130, 330, 760, 759, 50, 55, 100, 110, 95, 301, 291, 216, and 100.

263070200W00

Ref #	Part #	Description	Qty	Context	Note	Foot	Note
100	X65-01407-30	SPARK PLUG	2				